Λ
K
1

	Application No.	Applicant(s)	
Notice of Allowability	10/695,814	YABUSAKI ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Douglas AWille	2814	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to 10/30/03 communication.			
2. The allowed claim(s) is/are <u>1-3 and 5-13</u> .			
3. The drawings filed on 30 October 2003 are accepted by the Examiner.			
4.			
 each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	te	
	Longe	s A. aluly	

Application/Control Number: 10/695,814

Art Unit: 2814

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Monaco on 19 August 2004.

The application has been amended as follows:

In claim 1, line 11 delete "and".

In claim 1, line 13, delete "." and add "; and"

In claim 1, add, after line 13, "a layer of conductive material disposed over the dielectric layer, the upper face of the ridge, and a portion of the second area of the first side face which is closest to the upper face of the ridge."

Delete claim 4.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance: Ohta et al. show a mesa structure with inward and reverse slope side areas with a dielectric overlay but do not show that a conductive layer is provided over the upper face and the sides.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2814

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas A Wille whose telephone number is (571) 272-1721. The examiner can normally be reached on M-F (6:15-2:45).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael Fahmy can be reached on (571) 272-1705. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Douglas A. Wille Primary Examiner

es L. Well.